



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague

Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-CPR-0363/13/P
The certificate covers the following products of ROCKWOOL Polska, Cigacice factory:

Trade mark	Thermal conductivity W/m·K	Reaction to fire	Type code according to EN13162
MULTIROCK ROLL ROCKROLL (d=100-200mm)	0,044	A1	MW-EN13162-T1-WS-WL(P)-MU1
ROCKMIN PLUS (d=40-200mm)	0,037	A1	MW-EN13162-T2-WS-WL(P)-MU1
ROCKSLAB PLUS (d=40-200mm)	0,039		
ROCKTON (d=40-49mm) (d=50-99mm) (d=100-200mm)	0,035	A1	MW-EN13162-T3-CS(10)0,5-WS-WL(P)-MU1 MW-EN13162-T3-CS(10)0,5-WS-WL(P)-AW0,90-MU1 MW-EN13162-T3-CS(10)0,5-WS-WL(P)-AW0,95-MU1
ROCKSLAB ACUSTIC (d=50-99) (d=100-150mm)	0,036	A1	MW-EN13162-T3-WS-WL(P)-AW0,90-MU1 MW-EN13162-T3-WS-WL(P)-AW1,00-MU1
SUPERROCK (d= 40-49) (d=50-99mm) (d=100-200mm)	0,035	A1	MW-EN13162-T2-WS-WL(P)-MU1 MW-EN13162-T2-WS-WL(P)-AW0,75-MU1 MW-EN13162-T2-WS-WL(P)-AW 1,00-MU1
ROCKSONIC SUPER (d = 50-99mm) (d = 100-200mm)	0,036	A1	MW-EN13162-T2-WS-WL(P)-AW0,80-AFr7-MU1 MW-EN13162-T2-WS-WL(P)-AW1,00-AFr7-MU1
UNIROCK (d=40-200mm)	0,041	A1	MW-EN13162-T2-WS-MU1
ROCKSLAB (d=50-200mm)	0,042		
TOPROCK SUPER (d=80-200mm)	0,035		
ROCKROLL SUPER TOPROLL SUPER (d=80-200mm)	0,036		
MEGAROCK PLUS (d= 100-200)	0,039	A1	MW-EN13162-T2-WS-WL(P)-MU1
ROCKROLL PLUS (d= 100-200)	0,040		
ROCKSLAB SUPER (d= 40-49) (d=50-99mm) (d=100-200mm)	0,036	A1	MW-EN13162-T2-WS-WL(P)-MU1 MW-EN13162-T2-WS-WL(P)-AW0,75-MU1 MW-EN13162-T2-WS-WL(P)-AW0,95-MU1

Notified Body 1390
Prague, 15. 06. 2018




Ing. Petr Kučera, Ph.D.
Deputy of Notified Body 1390